

BUREAU VERITAS
Certification



CONFORMITY CERTIFICATE OF FACTORY PRODUCTION CONTROL

Certificate number: **1035-CPR-ES075438**

In compliance of the Regulation No 305/2011 of the European Parliament and of the Council of 9 March 2011 laying down harmonised conditions for the marketing of construction products, it has been stated that the product:

HOT ROLLED PRODUCTS OF STRUCTURAL STEELS

Manufactured by: **LIBERTY GALATI, S.A.**

In the factory: **Address Str. Smardan nr. 1, City GALATI, Postal Code 800698, County/State ROMANIA**

They are submitted by the manufacturer to the initial type testing of the product and a factory production control, and that the notified body Bureau Veritas Certification has performed the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control established in the harmonized standard concerned.

This certificate attests that all provisions concerning the attestation of factory production control described in the Annex ZA of the harmonized standard concerned, and it authorizes the manufacturer or its agent to fix the CE marking.

This certificate remains valid as long as the conditions laid down in the harmonised standard concerned or the manufacturing conditions in the factory or the FPC itself are not modified significantly.

Initial date of issue: **November 21, 2016**

Date of update: **September 12, 2019**

Expiration date: **November 20, 2022**



Mónica Botas
Certification Manager

Bureau Veritas Iberia, S.L., Edificio Caoba. C/ Valportillo Primera 22-24 Polígono Industrial La Granja
28108 Alcobendas (MADRID). Notified Body 1035

BUREAU VERITAS
Certification



ANNEX TO THE CERTIFICATE NUMBER 1035-CPR-ES075438

Date: **September 12, 2019**

Product:	Hot rolled products of structural steels		
Standard:	EN 10025-2: 2004 "Hot rolled products of structural steels-Part 2: Technical delivery conditions for non-alloy structural steels"		
Type ad grade	Section	Thickness	Factory
S235 JR S235 J0 S235 J2	Flat products (COIL) 600 mm to 1500 mm	1,5 mm to 12 mm	CONTINUOUSLY HOT-ROLLED STRIP AND PLATE/SHEET
S275 JR S275 J0 S275 J2			
S355 JR S355 J0 S355 J2 S355 K2			
S235 JRC S235 J0C S235 J2C			
S275 JRC S275 J0C S275 J2C			
S355 JRC S355 J2C			



Mónica Botas
Certification Manager



Product:	Hot rolled products of structural steels		
Standard:	EN 10025-2: 2004 "Hot rolled products of structural steels-Part 2: Technical delivery conditions for non-alloy structural steels"		
Type ad grade	Section	Thickness	Factory
S235 JR S235 JO S235 J2 S275 JR S275 JO S275 J2 S355 JR S355 JO S355 J2 S355 K2	Flat products (PLATES) 1500 mm to 4000 mm	3 mm to 100 mm	HOT-ROLLED STEEL PLATES
S235 JRC S235 J0C S235 J2C S275 JRC S275 J0C S275 J2C S355 JRC S355 J2C S355 K2C		3 mm to 30 mm for	



Product:	Hot rolled products of structural steels		
Standard:	EN 10025-3: 2004 "Hot rolled products of structural steels. Part 3: Technical delivery conditions for normalized/normalized rolled weldable fine grain structural steels."		
Type ad grade	Section	Thickness	Factory
S275 N S275 NL	Flat products (COIL)	1,5 mm to 12 mm	CONTINUOSLY HOT-ROLLED STRIP AND PLATE/SHEET
S355 N S355 NL	600 mm to 1500 mm		
S275 N S275 NL	Flat products (PLATES)	3 mm to 100 mm	HOT-ROLLED STEEL PLATES
S355 N S355 NL		1500 mm to 4000 mm	
S420 N S420 NL			
S460 N S460 NL			



Product:	Hot rolled products of structural steels		
Standard:	EN 10025-4: 2004 "Hot rolled products of structural steels. Part 4: Technical delivery conditions for thermomechanical rolled weldable fine grain structural steels."		
Type ad grade	Section	Thickness	Factory
S275 M	Flat products (COIL) 600 mm to 1500 mm	1.5 mm to 12 mm	CONTINUOSLY HOT-ROLLED STRIP AND PLATE/SHEET
S355 M			
S420M			
S275 M	Flat products (PLATES) 1500 mm to 4000 mm	6 mm to 80 mm	HOT-ROLLED STEEL PLATES
S355 M			
S420M		6 mm to 60 mm	
S460M	Flat products (PLATES) 1500 mm to 4000 mm	6 mm to 30 mm	HOT-ROLLED STEEL PLATES





Product:	Hot rolled products of structural steels		
Standard:	EN 10025-5: 2004 "Hot rolled products of structural steels. Part 5: Technical delivery conditions for structural steels with improved atmospheric corrosion resistance."		
Type ad grade	Section	Thickness	Factory
S235J0W S235J2W	Flat products (COIL) 600 mm to 1500 mm	1,5 mm to 12 mm	CONTINUOSLY HOT-ROLLED STRIP AND PLATE/SHEET
S355J0WP S355J2WP			
S355J0W S355J2W S355K2W			
S235J0W S235J2W	Flat products (PLATES) 1500 mm to 4000 mm	3 mm to 100 mm	HOT-ROLLED STEEL PLATES
S355J0WP S355J2WP		3 mm to 12 mm	
S355J0W S355J2W S355K2W		3 mm to 100 mm	

