Version: 1.0 Date: 3rd June 2021



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1	Product identifier Product name	H13 Metal Powder ≥15µm
1.2	Relevant identified uses of the substance or mixture and uses advised against Identified Use(s) Uses advised against	Additive manufacturing, hot isostatic pressing, thermal spray, metal injection noulding, binder jetting. Any other use.
1.3	Details of the supplier of the safety data sheet Company Identification Telephone E-mail (competent person)	Liberty Powder Metals Ltd. Materials Processing Institute, Eston Road, Middlesbrough, TS6 6US +44(0)164 238 200 powders@libertysteelgroup.com
1.4	Emergency telephone number Emergency Phone No. Languages spoken	999 / 911 or local emergency number Local language 24/7
2.1	Classification of the substance or mixture	
2.1.1	Regulation (EC) No. 1272/2008 (CLP)	This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.
2.2	Label elements	According to Regulation (EC) No. 1272/2008 (CLP)
	Product name	H13 ≥15µm
	Contains:	None assigned.
	Hazard Pictogram(s)	None assigned.
	Signal Word(s)	None assigned.
	Hazard Statement(s)	None assigned.
	Precautionary Statement(s)	None assigned.
	Supplemental information	None assigned.
2.3	Other hazards	Handling of this material may generate a dust which can cause mechanical irritation of the eyes, skin nose and throat.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

No component of this mixture is included above the relevant concentration levels detailed within section 3.2.1 of SDS regulation 2015/830.

Version: 1.0 Date: 3rd June 2021



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

SECTION 4: FIRST AID MEASURES



4.1	Description of first aid measures	
4.1	Description of first aid measures Self-protection of the first aider	Obtain special instructions before use. No action should be taken involving personal risk. Use personal protective equipment as required. Wear appropriate personal protective equipment, avoid direct contact. Ensure adequate ventilation. Avoid breathing dust. Avoid contact with skin and eyes.
	Inhalation	IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.
	Skin contact	IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention.
	Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation develops and persists, get medical attention.
	Ingestion	IF SWALLOWED: Rinse mouth. Give plenty of water to drink. Do NOT induce vomiting. Seek medical treatment.
4.2	Most important symptoms and effects, both acute and delayed	None known.
4.3	Indication of any immediate medical attention and special treatment needed	Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES 5.1 Extinguishing media As appropriate for surrounding fire. Use CO₂, dry chemical, or foam. Suitable extinguishing media Unsuitable extinguishing media Do not use water jet. Direct water jet may spread the fire. 5.2 Special hazards arising from the substance or Not flammable. Combustion products:, Carbon monoxide, Carbon dioxide. Oxides mixture of: Manganese and Iron. Advice for firefighters Fight fire with normal precautions from a reasonable distance. Fire fighters should 5.3 wear complete protective clothing including self-contained breathing apparatus. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and emergency procedures	Caution - spillages may be slippery. Ensure operatives are trained to minimise exposures. No action should be taken involving personal risk. Wear appropriate personal protective equipment, avoid direct contact. Avoid breathing dust. Ensure adequate ventilation. Remove contaminated clothing and wash all affected areas with plenty of water. Avoid dust generation.
6.2	Environmental precautions	Avoid release to the environment. Do not allow to enter drains, sewers or water courses.
6.3	Methods and material for containment and cleaning up	Provided it is safe to do so, isolate the source of the leak. Sweep spilled substances into containers if appropriate moisten first to prevent dusting. Use non-sparking equipment when picking up flammable spill. Collect mechanically and dispose of according to Section 13. Use non-sparking tools. Ventilate the area and wash spill site after material pick-up is complete.
6.4	Reference to other sections	See Section: 8,13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

When using do not eat or drink. Provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures. Keep away from heat, hot surfaces, sparks, open flames and other

Version: 1.0 Date: 3rd June 2021



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

7.2	Conditions for safe storage, including any	Kee
	incompatibilities	clos
	Storage temperature	Sto
		ian

ignition sources. No smoking. Do not eat, drink or smoke when using this product.
Remove contaminated clothing and wash clothing before reuse.
Keep only in original packaging. Keep in a well ventilated place. Keep container closed.
Store in a cool/low-temperature, well-ventilated (dry) place away from heat and ignition sources.
Keep away from acids and strong oxidising agents. Encapsulating water with molten iron may cause an explosion
See Section: 1.2

Specific end use(s)

7.3

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational exposure limits

Incompatible materials

The UK HSE (EH40) recommends the following limits for dusts: 10 mg/m³ (8hr TWA) total inhalable dust; 4 mg/m³ (8hr TWA) total respirable dust.

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m ³)	Note
						UK WEL
Manganese	7439-96-5	-	0.2	-	-	Inhalable fraction
		-	0.05	-	-	Respirable fraction

Not established.

Not established.

Source: UK WEL: Workplace Exposure Limit (UK HSE EH40)

8.1.2 Biological limit value

8.1.3 PNECs and DNELs


- 8.2 Exposure controls
- 8.2.1 Appropriate engineering controls

Provide adequate ventilation, including appropriate local extraction if dusts, fumes or vapours are likely to be evolved. Do not breathe dust. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

8.2.2 Individual protection measures, such as personal protective equipment

Keep good industrial hygiene. Wear appropriate personal protective equipment, avoid direct contact. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke at the work place. Do not breathe dust.

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.



Version: 1.0 Date: 3rd June 2021



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

8.2.3 Environmental exposure controls

Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1	9.1 Information on basic physical and chemical properties	
	Appearance	Fine grey Powder
	Odour	Odourless
	Odour threshold	Not applicable.
	pH	No information available.
	Melting point/freezing point	1427°C
	Initial boiling point and boiling range	No information available.
	Flash point	No information available.
	Evaporation rate	No information available.
	Flammability (solid, gas)	Not flammable.
		Does not support combustion. (BS EN 14034)
	Upper/lower flammability or explosive limits	Layer ignition temperature - >400°C (BS EN 50281-2-1)
	Vapour pressure	No information available.
	Vapour density	No information available.
	Relative density	7.80 g/cm ³
	Solubility(ies)	No information available.
	Partition coefficient: n-octanol/water	No information available.
	Auto-ignition temperature	No information available.
	Decomposition temperature	No information available.
	Viscosity	No information available.
	Explosive properties	Not explosive
	Oxidising properties	Not oxidising.
9.2	Other information	
	Particle size	≥15 µm
	Loss on Drying	No information available.

No information available. 0.0 % w/w

SECTION 10: STABILITY AND REACTIVITY

Moisture Content

10.1	Reactivity	Stable under normal conditions.
10.2	Chemical stability	Stable under normal conditions.
10.3	Possibility of hazardous reactions	Hazardous polymerisation will not occur.
10.4	Conditions to avoid	None known
10.5	Incompatible materials	Keep away from: acids and strong oxidising agents.
10.6	Hazardous decomposition products	Combustion products:, Carbon monoxide, Carbon dioxide. Oxides of: Manganese
		and Iron.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1	Information on toxicological effects	
	Acute Toxicity - Ingestion	Mixture: Based upon the available data, the classification criteria are not met.
		Calculated acute toxicity estimate (ATE) >2,000 mg/kg.
	Acute Toxicity - Inhalation	Mixture: Based upon the available data, the classification criteria are not met.
		Calculated acute toxicity estimate (ATE) > 5 mg/L (Dust)
	Acute Toxicity - Skin contact	Mixture: Based upon the available data, the classification criteria are not met.
		Calculated acute toxicity estimate (ATE) >2,000 mg/kg.
	Skin corrosion/irritation	Mixture: Based upon the available data, the classification criteria are not met.
	Serious eye damage/irritation	Mixture: Based upon the available data, the classification criteria are not met.
	Respiratory or skin sensitisation	Mixture: Based upon the available data, the classification criteria are not met.
	Germ cell mutagenicity	Mixture: Based upon the available data, the classification criteria are not met.
	Carcinogenicity	Mixture: Based upon the available data, the classification criteria are not met.
	Reproductive toxicity	Mixture: Based upon the available data, the classification criteria are not met.
	STOT - single exposure	Mixture: Based upon the available data, the classification criteria are not met.

Version: 1.0 Date: 3rd June 2021



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

STOT - repeated exposure	Mixture: Based upon the available data, the classification criteria are not met.
Aspiration hazard	Mixture: Based upon the available data, the classification criteria are not met.

11.2 Other information

None known

SECTION 12: ECOLOGICAL INFORMATION

- 12.1 Toxicity
- 12.2 Persistence and degradability
- 12.3 Bioaccumulative potential
- 12.4 Mobility in soil
- 12.5 Results of PBT and vPvB assessment
- 12.6 Other adverse effects

Mixture: Based upon the available data, the classification criteria are not met. Estimated LC50 (Mixture): >100 mg/l No data for the mixture as a whole. No data for the mixture as a whole. No data for the mixture as a whole. Not classified as PBT or vPvB. None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

13.2 Additional information

Do not allow to enter drains, sewers or watercourses. Dispose of this material and its container as hazardous waste. Disposal should be in accordance with local, state or national legislation. Avoid release to the environment.

IATA/ICAO

None assigned.

None assigned.

None assigned.

None assigned.

No information available.

Not classified

IMDG

None assigned.

None assigned.

None assigned.

None assigned.

Not classified as a

No information available.

Marine Pollutant.

SECTION 14: TRANSPORT INFORMATION

- 14.1 UN number
- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards
- 14.6 Special precautions for user
- 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 15.1.1 EU regulations

 Authorisations and/or restrictions on use Not restricted
 15.1.2 National regulations
 Germany Water hazard

15.2 Chemical Safety Assessment

Germany Water hazard class: 2

ADR/RID

None assigned.

None assigned.

None assigned.

None assigned.

Not classified

See Section: 2

No information available.

A REACH chemical safety assessment has not been carried out. Exposure scenarios for substances in this preparation are not available.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: Not applicable - V1.0

References:

Test Result, Report Number: R001913R3V1GR, Sigma-HSE (UK) Ltd (2021).

EU Classification: This Safety Data Sheet was prepared in accordance with EC Regulation (EC) 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830.

Classification of the substance or mixture According to	Classification procedure
Regulation (EC) No. 1272/2008 (CLP)	

Version: 1.0 Date: 3rd June 2021



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

	Not classified	ATEmix Calculation(s) using Acute Toxicity data presented in Section 11		
LEGEND				
ADR	ADR: European Agreement concerning the Internatio	nal Carriage of Dangerous Goods by Road		
CAS	Chemical Abstracts Service			
DNEL	Derived No Effect Level			
EC	European Community			
EN	European Standard			
EU	European Union			
IATA	International Air Transport Association			
ICAO/IATA	ICAO: International Civil Aviation Organization / IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods	International Maritime Dangerous Goods		
LC50	Lethal concentration 50			
LD50	Lethal dose 50			
LTEL	Long Term Exposure Limit			
NOEC	No Observed Effect Concentration			
NOAEL	No Observed Adverse Effect Level			
PBT	Persistent, Bioaccumulative and Toxic			
PNEC	Predicted No Effect Concentration			
REACH	Registration, Evaluation, Authorisation and Restrictio	n of Chemicals		
STEL	Short Term Exposure Limit			
TWA	Time Weighted Average			
UN	United Nations			
vPvB	Very Persistent and very Bioaccumulative			
WGK	Wassergefährdungsklasse (Germany) / Water hazard	d class		

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Liberty Powder Metals Ltd. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Liberty Powder Metals Ltd. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

Exposure Scenarios are not applicable